

Genesis Behavioral Health

Age 17 and under (through high school)

Name: \_\_\_\_\_ DOB: \_\_\_\_\_ Age: \_\_\_\_\_ Date: \_\_\_\_\_

Name(s) of parent/guardian accompanying patient: \_\_\_\_\_ Relationship to patient \_\_\_\_\_

Who is filling out this form? \_\_\_\_\_

Does your child see a therapist for talk therapy? No Yes Name \_\_\_\_\_

How did you hear about us? If someone referred you, who? \_\_\_\_\_

Check all that apply: Insurance company Therapist Physician Friend Internet TV Commercial Other \_\_\_\_\_

BACKGROUND INFORMATION

Tell us about your family & living situation

Educational, Legal & Religious History

Names of those living in the same household and names of siblings & step-siblings not living with you:

Table with columns: Living with you?, Name, Age, Relationship to patient. Includes rows for family members with Yes/No checkboxes.

Have child's parents separated or divorced? Yes No When: \_\_\_\_\_
Has either remarried? Yes No
Name of step parent: \_\_\_\_\_
What contact does child have with other biological parent? \_\_\_\_\_

Education: Current or highest grade level? \_\_\_\_\_
How is child doing in school? Explain any problems, such as not passing classes, worries about grades, or conflict with people at school.

Has child had any history of learning difficulties - dyslexia, being a slow learner, etc?  No  Yes: \_\_\_\_\_
Is child in special education, or '504'?  No  Yes

Legal - Has the child/adolescent had any legal problems or Are there any ongoing problems with custody issues?  No  Yes
Describe: \_\_\_\_\_

Spiritual History
Are your child's beliefs Christian?  No  Yes  Unsure
Other Religious beliefs? \_\_\_\_\_

How important to your child is faith in God:
 Important  Somewhat Important  Not Important
Does your child meet with others in religious or spiritual community?
 No  Yes

THE PROBLEM WHICH BRINGS YOUR CHILD/TEEN HERE:

You may write on the other side if needed

Why are you here and What are your problems/concerns?

(Briefly explain the problem that brings you here now and what stressful circumstances have contributed to it.)

Handwritten area with multiple horizontal lines for text entry.

## OTHER SYMPTOMS

<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;"><b>POST-TRAUMATIC STRESS SYMPTOMS</b></td> </tr> <tr> <td><input type="checkbox"/> Has your child has experienced a very significant traumatic event. If YES, what? _____</td> </tr> <tr> <td><input type="checkbox"/> Has distressing memories or nightmares</td> </tr> <tr> <td><input type="checkbox"/> Is easily startled, always 'on guard'</td> </tr> <tr> <td><input type="checkbox"/> Seems to feel numb, unreal, or detached</td> </tr> <tr> <td><input type="checkbox"/> Avoids situations reminding him/her of the trauma</td> </tr> <tr> <td> </td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;"><b>OBSESSIVE-COMPULSIVE SYMPTOMS</b></td> </tr> <tr> <td><input type="checkbox"/> Does your child/teen wash or clean a lot?</td> </tr> <tr> <td><input type="checkbox"/> Does your child/teen check things a lot?</td> </tr> <tr> <td><input type="checkbox"/> Does your child/teen have a thought that bothers them that they can't get rid of?</td> </tr> <tr> <td><input type="checkbox"/> Does your child/teen, because things have to be done a certain way, take a long time to finish things?</td> </tr> <tr> <td><input type="checkbox"/> Is your child concerned about putting things in a special order or symmetry, or is very upset by mess?</td> </tr> <tr> <td><input type="checkbox"/> Compulsive hair pulling (Trichotillomania) or skin-picking</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;"><b>PHOBIAS/SPECIFIC FEARS</b></td> </tr> <tr> <td><input type="checkbox"/> Fear of going out or going certain places</td> </tr> <tr> <td><input type="checkbox"/> Other specific fears? If so, what?</td> </tr> </table>	<b>POST-TRAUMATIC STRESS SYMPTOMS</b>	<input type="checkbox"/> Has your child has experienced a very significant traumatic event. If YES, what? _____	<input type="checkbox"/> Has distressing memories or nightmares	<input type="checkbox"/> Is easily startled, always 'on guard'	<input type="checkbox"/> Seems to feel numb, unreal, or detached	<input type="checkbox"/> Avoids situations reminding him/her of the trauma		<b>OBSESSIVE-COMPULSIVE SYMPTOMS</b>	<input type="checkbox"/> Does your child/teen wash or clean a lot?	<input type="checkbox"/> Does your child/teen check things a lot?	<input type="checkbox"/> Does your child/teen have a thought that bothers them that they can't get rid of?	<input type="checkbox"/> Does your child/teen, because things have to be done a certain way, take a long time to finish things?	<input type="checkbox"/> Is your child concerned about putting things in a special order or symmetry, or is very upset by mess?	<input type="checkbox"/> Compulsive hair pulling (Trichotillomania) or skin-picking	<b>PHOBIAS/SPECIFIC FEARS</b>	<input type="checkbox"/> Fear of going out or going certain places	<input type="checkbox"/> Other specific fears? If so, what?	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;"><b>EATING ISSUES</b></td> </tr> <tr> <td><input type="checkbox"/> Constantly dieting despite others saying you're thin</td> </tr> <tr> <td><input type="checkbox"/> Binge eating or purging</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;"><b>PROBLEMS BEING GROUNDED IN REALITY</b></td> </tr> <tr> <td><input type="checkbox"/> Talks to people who are not there</td> </tr> <tr> <td><input type="checkbox"/> Literally believes he/she is someone else</td> </tr> <tr> <td><input type="checkbox"/> Hears voices talking when no one is there</td> </tr> <tr> <td><input type="checkbox"/> Sees things when nothing is there</td> </tr> <tr> <td><input type="checkbox"/> Believes mind is being read or controlled by others</td> </tr> <tr> <td><input type="checkbox"/> Claims to get special messages from the TV or radio</td> </tr> <tr> <td><input type="checkbox"/> Paranoid – believes people are out to get him/her (But no gang or drug activity justifying this belief)</td> </tr> <tr> <td><input type="checkbox"/> Grandiose delusions (fixed, false beliefs)</td> </tr> <tr> <td><input type="checkbox"/> Involved in Satan worship or strange religious activities</td> </tr> <tr> <td><input type="checkbox"/> Has developed strange or bizarre ideas about the world</td> </tr> <tr> <td><input type="checkbox"/> Speech at times makes no sense!</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;"><b>SELF HARM</b></td> </tr> <tr> <td><input type="checkbox"/> Teen has <u>not</u> ever hurt self physically to distract self from emotional pain – <i>if checked, may skip to next section</i></td> </tr> <tr> <td><input type="checkbox"/> In the past teen has hurt self physically but does not do so any more</td> </tr> <tr> <td><input type="checkbox"/> Recently child/teen has hurt self physically</td> </tr> <tr> <td><input type="checkbox"/> Teen thinks about cutting or hurting self several times a day</td> </tr> </table>	<b>EATING ISSUES</b>	<input type="checkbox"/> Constantly dieting despite others saying you're thin	<input type="checkbox"/> Binge eating or purging	<b>PROBLEMS BEING GROUNDED IN REALITY</b>	<input type="checkbox"/> Talks to people who are not there	<input type="checkbox"/> Literally believes he/she is someone else	<input type="checkbox"/> Hears voices talking when no one is there	<input type="checkbox"/> Sees things when nothing is there	<input type="checkbox"/> Believes mind is being read or controlled by others	<input type="checkbox"/> Claims to get special messages from the TV or radio	<input type="checkbox"/> Paranoid – believes people are out to get him/her (But no gang or drug activity justifying this belief)	<input type="checkbox"/> Grandiose delusions (fixed, false beliefs)	<input type="checkbox"/> Involved in Satan worship or strange religious activities	<input type="checkbox"/> Has developed strange or bizarre ideas about the world	<input type="checkbox"/> Speech at times makes no sense!	<b>SELF HARM</b>	<input type="checkbox"/> Teen has <u>not</u> ever hurt self physically to distract self from emotional pain – <i>if checked, may skip to next section</i>	<input type="checkbox"/> In the past teen has hurt self physically but does not do so any more	<input type="checkbox"/> Recently child/teen has hurt self physically	<input type="checkbox"/> Teen thinks about cutting or hurting self several times a day
<b>POST-TRAUMATIC STRESS SYMPTOMS</b>																																						
<input type="checkbox"/> Has your child has experienced a very significant traumatic event. If YES, what? _____																																						
<input type="checkbox"/> Has distressing memories or nightmares																																						
<input type="checkbox"/> Is easily startled, always 'on guard'																																						
<input type="checkbox"/> Seems to feel numb, unreal, or detached																																						
<input type="checkbox"/> Avoids situations reminding him/her of the trauma																																						
<b>OBSESSIVE-COMPULSIVE SYMPTOMS</b>																																						
<input type="checkbox"/> Does your child/teen wash or clean a lot?																																						
<input type="checkbox"/> Does your child/teen check things a lot?																																						
<input type="checkbox"/> Does your child/teen have a thought that bothers them that they can't get rid of?																																						
<input type="checkbox"/> Does your child/teen, because things have to be done a certain way, take a long time to finish things?																																						
<input type="checkbox"/> Is your child concerned about putting things in a special order or symmetry, or is very upset by mess?																																						
<input type="checkbox"/> Compulsive hair pulling (Trichotillomania) or skin-picking																																						
<b>PHOBIAS/SPECIFIC FEARS</b>																																						
<input type="checkbox"/> Fear of going out or going certain places																																						
<input type="checkbox"/> Other specific fears? If so, what?																																						
<b>EATING ISSUES</b>																																						
<input type="checkbox"/> Constantly dieting despite others saying you're thin																																						
<input type="checkbox"/> Binge eating or purging																																						
<b>PROBLEMS BEING GROUNDED IN REALITY</b>																																						
<input type="checkbox"/> Talks to people who are not there																																						
<input type="checkbox"/> Literally believes he/she is someone else																																						
<input type="checkbox"/> Hears voices talking when no one is there																																						
<input type="checkbox"/> Sees things when nothing is there																																						
<input type="checkbox"/> Believes mind is being read or controlled by others																																						
<input type="checkbox"/> Claims to get special messages from the TV or radio																																						
<input type="checkbox"/> Paranoid – believes people are out to get him/her (But no gang or drug activity justifying this belief)																																						
<input type="checkbox"/> Grandiose delusions (fixed, false beliefs)																																						
<input type="checkbox"/> Involved in Satan worship or strange religious activities																																						
<input type="checkbox"/> Has developed strange or bizarre ideas about the world																																						
<input type="checkbox"/> Speech at times makes no sense!																																						
<b>SELF HARM</b>																																						
<input type="checkbox"/> Teen has <u>not</u> ever hurt self physically to distract self from emotional pain – <i>if checked, may skip to next section</i>																																						
<input type="checkbox"/> In the past teen has hurt self physically but does not do so any more																																						
<input type="checkbox"/> Recently child/teen has hurt self physically																																						
<input type="checkbox"/> Teen thinks about cutting or hurting self several times a day																																						

## SLEEP ISSUES

<b>IN THE LAST TWO WEEKS, if your child has trouble sleeping too much or too little, or their sleep is interrupted by awakening several times each night, please answer the following:</b>
What time does your child typically go to bed? _____ What time do they typically fall asleep? _____
What time do they typically wake up? _____ Do they seem to feel rested when they wake up in the morning? <input type="checkbox"/> Yes <input type="checkbox"/> No
Including naps during the day, how many hours, on average, do they sleep per 24 hour day? _____
If they awaken frequently through the night, how many times does your child awaken, and how long does it take them to go back to sleep? Awaken approximately _____ times. Time it takes to get back to sleep: _____
<input type="checkbox"/> Yes <input type="checkbox"/> No Does your child have a tendency to snore?
<input type="checkbox"/> Yes <input type="checkbox"/> No Have you observed your child stop breathing briefly at times while they are sleeping at night?

## PARENTING DIFFICULTIES/OTHER ISSUES OR QUESTIONS

<p>Describe what problems you have as you try to parent your child. For example, are there ways in which you or the child's other parent may be contributing to, or at least not helping, the problem; or things that as a parent you might need help with and would like to discuss?</p> <p>If divorce has occurred, how well would you say the two of you are able to cooperate with regard to the child?</p>
---

## RELATIONSHIPS AND SOCIAL SUPPORTS

### **FAMILY RELATIONSHIPS**

How would you rate your child's happiness in your family?  Happy  Fairly happy  Just OK  Fairly unhappy  Very unhappy  
 If VERY UNHAPPY, please write briefly in the space provided below what the general nature of the problems are.

---

### **SOCIAL SUPPORTS**

- Yes  No Does child experience a lot of loneliness?  
 Yes  No Does child have a close friend whom they can tell things and trust that the friend won't tell others? How often do they talk? \_\_\_\_\_

**Peer Relationships** – Does child/adolescent have close friends?  Yes  No

Has the family moved recently?  No  Yes: \_\_\_\_\_

Are you concerned about influences of certain peers?  No  Yes:

### **OTHER CONFLICTUAL RELATIONSHIPS**

Yes  No Is child having significant conflict or stress with anyone outside of your family, being bullied, etc? If so, who, and about what?

### **PROBLEMS WITH EMOTIONAL INSTABILITY (For teenagers only)**

*Having problems with emotional instability means having unstable relationships, low self-esteem, and problems with impulsive behavior, beginning by late adolescence or early adulthood. A common feature of this emotional instability is fear of being left alone (abandoned), even if the threat of being abandoned is not real. This fear may lead to frantic attempts to hold on to others and may cause them to become overly dependent on how others feel about them. Angry mood swings and erratic behavior can lead to troubled relationships in many areas of life.*

Problems with emotional instability – does your child tend to:

- Make frantic efforts to avoid real or imagined abandonment.
- Have a pattern of difficult relationships caused by alternating between extremes of intense admiration and hatred of others.
- Have an unstable self-image or be unsure of his or her own identity.
- Act impulsively in ways that are self-damaging, such as extravagant spending, sex with many partners, substance abuse, binge eating, or reckless driving (if driving age, or driving a car without permission).
- Have recurring suicidal thoughts, make repeated suicide attempts, or cause self-injury through mutilation, such as cutting or burning oneself.
- Have frequent emotional overreactions or intense mood swings, including feeling depressed, irritable, or anxious.

These mood swings may only last a few hours at a time. In rare cases, they may last a day or two.

- Have long-term feelings of emptiness.
- Have inappropriate, fierce anger or problems controlling anger – or often display temper tantrums or get into fights.
- Have temporary episodes of feeling suspicious of others without reason (paranoia) or losing a sense of reality.

### **THIS SECTION TO BE ANSWERED BY THE PATIENT – please check how much you have felt this way during the past week**

During the past week,	Not at all (0)	A little (1)	Some (2)	A lot (3)	Total: <div style="border: 1px solid black; width: 40px; height: 20px; margin: 0 auto;"></div>
I was bothered by things that usually don't bother me					
I did not feel like eating. I wasn't very hungry					
I felt like I couldn't pay attention to what I was doing					
I felt down and unhappy					
I felt scared					
I didn't sleep as well as I usually sleep					
I felt lonely, like I didn't have any friends					
I felt sad					
I felt people didn't like me					
I felt like crying					
I felt like I was too tired to do things					

## SOCIAL INTERACTIONS AND ASPERGER'S SYMPTOMS

### I. Social Interactions and Relationships

- 1) Significant problems with nonverbal communication skills, such as understanding the meaning of eye-to-eye contact, facial expressions, or body posture.**  Yes  No

*The problems with nonverbal communication skills involve difficulty 'reading' people. For example, the child may recognize, that another person does not like something they just said or did, but they may not understand why the other person was bothered. Or, for example, when another person bumps into them accidentally, they assume it was on purpose.*

- 2) Marked difficulty in establishing or maintaining friendships with children of the same age.**  Yes  No

*Though may play well with younger children, or be able to converse with adults. Seems 'clueless' in many social situations, often saying and doing things which a child even much younger in age would intuitively know not to do. Lacks 'common sense' in relating to other people.*

- 3) Lack of interest in sharing enjoyment, interests, or achievements with other people.**  Yes  No

*On the other hand, may go on and on talking about something in which they are interested despite the fact that the person to whom they are talking is not interested and does not want to hear (example of a problem with reading body language).*

- 4) Lack of empathy. Has difficulty understanding other people's feelings and connecting to them in a personal way.**  Yes  No

*May be able sometimes to recognize what others' feelings are, but has difficulty connecting with others and apparent difficulty identifying the distress of other people and responding appropriately.*

**Total YES answers \_\_\_\_\_**

### II. Limited interests in activities or play

- 1) Preoccupation with certain topics**  Yes  No

*For example, may be fascinated by Star Wars, Japanese cartoon cards or characters, video games, military history, dinosaurs, maps, weapons, or other interests which are 'different' from other children the same age.*

- 2) A need for sameness and routines; or being rigid and inflexible**  Yes  No

*For example, insisting that things be done a certain way, though there is no reason why they should be done so.*

- 3) Can't 'let go' of a topic or request.**  Yes  No

*For example, repeatedly asks over and over for something they want to do or have. They won't take 'no' for an answer.*

- 4) Unusual behaviors or movements of the body**  Yes  No

*These may include body rocking and hand flapping.*

**Total YES answers \_\_\_\_\_**

## CURRENT and PAST MEDICATIONS

List ALL CURRENT MEDICATIONS, VITAMINS, HERBAL, & SUPPLEMENTS that you are now taking:

Medication, Vitamin, or Herbal	Medication, Vitamin, or Herbal	Medication, Vitamin, or Herbal

List ALL PAST MEDICATIONS that you have taken:

<input checked="" type="checkbox"/> if Taking Now or Past	Medication Have you <i>ever</i> taken any of these:	dose	When & Why Stopped	When	<input checked="" type="checkbox"/> if Taking Now or Past	Medication Have you <i>ever</i> taken any of these:	dose	When & Why Stopped	When
<input type="checkbox"/> Now <input type="checkbox"/> Past	Ritalin/Methylin				<input type="checkbox"/> Now <input type="checkbox"/> Past	Abilify (Aripiprazole)			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Metadate				<input type="checkbox"/> Now <input type="checkbox"/> Past	Aristada or Maintenna			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Quillivant/Quillichew				<input type="checkbox"/> Now <input type="checkbox"/> Past	Rexulti			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Aptensio				<input type="checkbox"/> Now <input type="checkbox"/> Past	Geodon (Ziprazidone)			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Concerta (Methylphenidate)				<input type="checkbox"/> Now <input type="checkbox"/> Past	Risperdal (Risperidone)			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Focalin (or XR) (dexamethylphenidate)				<input type="checkbox"/> Now <input type="checkbox"/> Past	Invega (Paliperidone)			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Daytrana				<input type="checkbox"/> Now <input type="checkbox"/> Past	Zyprexa (Olanzapine)			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Adderall (or XR) (dextroamphetamine)				<input type="checkbox"/> Now <input type="checkbox"/> Past	Quetiapine (Seroquel)			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Vyvanse				<input type="checkbox"/> Now <input type="checkbox"/> Past	Saphris			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Mydayis				<input type="checkbox"/> Now <input type="checkbox"/> Past	Fanapt			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Dyanavel				<input type="checkbox"/> Now <input type="checkbox"/> Past	Latuda			
<input type="checkbox"/> Now <input type="checkbox"/> Past	<i>Other stimulant</i>				<input type="checkbox"/> Now <input type="checkbox"/> Past	Vraylar			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Strattera (Atomoxetine)				<input type="checkbox"/> Now <input type="checkbox"/> Past	Clozapine			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Kapvay (Clonidine)				<input type="checkbox"/> Now <input type="checkbox"/> Past	Lithium			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Intuniv (Guanfacine)				<input type="checkbox"/> Now <input type="checkbox"/> Past	Depakote (Valproic Acid)			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Prozac (Fluoxetine)				<input type="checkbox"/> Now <input type="checkbox"/> Past	Tegretol (Carbamazepine)			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Zoloft (Sertraline)				<input type="checkbox"/> Now <input type="checkbox"/> Past	Trileptal (Oxcarbazepine)			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Paxil (Paroxetine)				<input type="checkbox"/> Now <input type="checkbox"/> Past	Lamictal (Lamotrigine)			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Luvox (Fluvoxamine)				<input type="checkbox"/> Now <input type="checkbox"/> Past	Topiramate (Topamax)			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Celexa (Citalopram)				<input type="checkbox"/> Now <input type="checkbox"/> Past	Valium (Diazepam)			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Lexapro (Escitalopram)				<input type="checkbox"/> Now <input type="checkbox"/> Past	Xanax (Alprazolam)			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Effexor XR (Venlafaxine)				<input type="checkbox"/> Now <input type="checkbox"/> Past	Ativan (Lorazepam)			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Pristiq (Desvenlafaxine)				<input type="checkbox"/> Now <input type="checkbox"/> Past	Klonopin (Clonazepam)			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Cymbalta (Duloxetine)				<input type="checkbox"/> Now <input type="checkbox"/> Past	Lyrica (Pregabalin)			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Wellbutrin (Bupropion)				<input type="checkbox"/> Now <input type="checkbox"/> Past	Neurontin (Gabapentin)			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Remeron (Mirtazapine)				<input type="checkbox"/> Now <input type="checkbox"/> Past	Vistaril (Hydroxyzine)			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Buspar (Buspirone)				<input type="checkbox"/> Now <input type="checkbox"/> Past	Ambien (Zolpidem)			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Trintellix				<input type="checkbox"/> Now <input type="checkbox"/> Past	Lunesta (Eszopiclone)			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Viibryd				<input type="checkbox"/> Now <input type="checkbox"/> Past	Temazepam			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Fetzima				<input type="checkbox"/> Now <input type="checkbox"/> Past	Sonata			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Nefazodone				<input type="checkbox"/> Now <input type="checkbox"/> Past	Belsomra			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Amitriptyline				<input type="checkbox"/> Now <input type="checkbox"/> Past	Trazodone			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Imipramine				<input type="checkbox"/> Now <input type="checkbox"/> Past	Rozerem			
<input type="checkbox"/> Now <input type="checkbox"/> Past	EMSAM				<input type="checkbox"/> Now <input type="checkbox"/> Past	Melatonin			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Nardil				<input type="checkbox"/> Now <input type="checkbox"/> Past	Benadryl (antihistamine)			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Parnate				<input type="checkbox"/> Now <input type="checkbox"/> Past	Other OTC sleep aid			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Ketamine				<input type="checkbox"/> Now <input type="checkbox"/> Past	Aricept (donepezil)			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Provigil (Modafanil)				<input type="checkbox"/> Now <input type="checkbox"/> Past	Namenda (memantine)			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Nuvigil (Armodafanil)				<input type="checkbox"/> Now <input type="checkbox"/> Past	Buprenorphine			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Prazosin				<input type="checkbox"/> Now <input type="checkbox"/> Past	Antabuse (disulfiram)			
<input type="checkbox"/> Now <input type="checkbox"/> Past	Naltrexone (oral or injectable)				<input type="checkbox"/> Now <input type="checkbox"/> Past	Campal (acamprosate)			